

## **NOTICE OF ALLOWANCE**

### ***Examiner's Amendment***

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Glenn Perry on October 14, 2009.

The application has been amended as follows:

33. (Currently amended) The computer-readable storage medium of Claim 31, wherein the encrypting the file with the file key happens if the file is caused to be stored.

### ***Allowable Subject Matter***

2. Claims 1,2,4-14,16-18,20-36 and 38-56 are allowed.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher A. Revak whose telephone number is 571-272-3794. The examiner can normally be reached on Monday-Thursday, 9:00am-5:00pm.

Art Unit: 2431

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Korzuch can be reached on 517-272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher A. Revak/  
Primary Examiner, Art Unit 2431